






# LibreOffice CJK Bugs, Fixes, and Stories.

Mark Hung ( [marklh9@gmail.com](mailto:marklh9@gmail.com) )

# Asian Typography



# Paragraph Justified Alignment





## "Justified" for Japanese and Chinese

ほ ほ ほ word word  
longlongword

## "Justified" for Korean

밀 밀 밀 word word  
longlongword

# Text Grid & Vertical Writing



# Asian Phonetic Guide

きもん  
鬼門の

Asian Phonetic Guide


Base text	Ruby text
鬼門	きもん
の	
方角	ほうがく
を	

Alignment:  Position: Top Character style for ruby text: ListLabel 2

Preview:

きもん

# Other Language Tools



# And .....

The screenshot illustrates the process of selecting a specific character from a hiragana input. It shows the following steps:


- Inputting the hiragana character 'ふ' (fu).
- Pressing a key to bring up a list of characters that start with 'ふ'.
- The list contains: 1. かわず (kawazu), 2. 蛙 (kawazu), 3. 買わず (kawaizu), 4. 飼わず (koiwazu), 5. カワズ (kawazu).
- Option 2, '蛙', is selected.
- The text '古池やかわず飛び込む水の音' is shown.
- Pressing another key to bring up a list of characters that start with '蛙'.
- The list contains: 1. 飛び込む (tohibomu), 2. 飛びこむ (tohibomu), 3. 跳びこむ (tohibomu), 4. 飛込む (tohibomu), 5. 跳び込む (tohibomu), 6. とびこむ (tohibomu), 7. とび込む (tohibomu), 8. トビコム (tohibomu).
- Option 4, '飛込む', is selected.
- The final text is '古池や蛙飛込む水の音'.

- ▼ Input method
- ▼ Mixing western and Asian scripts.
- ▼ Ideograph variance sequence (IVS)
- ▼ Unicode characters that are not in Basic Multilingual Plan ( BMP, 0x0000-0xffff)

# How Did Everything Begin?

## Typical end user questions in 2014

- Why do Chinese numbers in my DOCX become Arabic numbers?
- Why were punctuation marks so close to the text behind?
- Why do punctuation marks go outside the printing area?
- Why are text ill-formatted?



<https://xkcd.com/1831/>



# My First Patch

- I submitted my first patch to gerrit in Nov 2014.
- We switched to LibreOffice in next year.

		<a href="#">Link Here</a>
645	case NS_ooxml::LN_Value_ST_NumberFormat_chineseCounting:	
646	case NS_ooxml::LN_Value_ST_NumberFormat_japaneseCounting:	
647	case NS_ooxml::LN_Value_ST_NumberFormat_taiwaneseCounting:	
648	case NS_ooxml::LN_Value_ST_NumberFormat_taiwaneseCountingThousand:	
649	case NS_ooxml::LN_Value_ST_NumberFormat_ideographDigital:	
650	case NS_ooxml::LN_Value_ST_NumberFormat_chineseCountingThousand:	
651	nRet = style::NumberingType::NUMBER_LOWER_ZH;	

[https://bz.apache.org/ooo/show\\_bug.cgi?id=125400](https://bz.apache.org/ooo/show_bug.cgi?id=125400)

# Various Things I've Worked On

## 2014 (Nov)

- Numbered lists for traditional Chinese

## 2017

- Text grids layout
- Copy & paste of tables ( Writer to Impress )
- Impress editing & undo

## 2015

- Symbols in doc & docx.
- Character rotation issue.
- Hanging Punctuation
- Character Compression
- Copy&paste messed up.
- PPTX text color & bullets.
- Ruby: import & export.

## 2018

- Impress editing & undo
- Ruby: vertical-right.
- RTL high priority issues.
- IVS: backspace.
- Ruler in Impress
- EPUB ruby & vertical writing
- Slideshow & Animations

## 2016

- NonBMP & IVS justification
- PPTX: custom shapes
- Table formatting in Writer

## 2019

- Slideshow & Animations
- Ruby in Calc (Pending)

# Character Compression (2015)

Bug81144 – Chinese full-width punctuation does not align properly.

「一二三四五六七八九十」√「一二三四五六七八九十」√  
一二三四五六七八九十」

「一二三四五六七八九十」、  
「一二三四五六七八九十」、  
「一二三四五六七八九十」

# Hanging Punctuation (2015)

## Bug82176 – line selection and non-printing characters.

中央氣象局剛剛發布「秋節連假留意超級大潮」的新聞稿，請大家留意喔！氣象局表示9月27日至29日(農曆8月15日至17日)臺灣北部及彰化、雲林、嘉義、臺中、澎湖、金門、馬祖地區海岸與感潮帶的河濱將出現超級大潮，呼籲前往上述海濱與感潮帶河濱活動民衆應特別注意。氣象局表示一年中最大天文大潮一般發生在秋分後之新月或滿月時，若此時月亮恰在近地點則會產生特別大的天文大潮，稱為超級大潮(Supertide·或·King·tide)。

中央氣象局剛剛發布「秋節連假留意超級大潮」的新聞稿，請大家留意喔！氣象局表示9月27日至29日(農曆8月15日至17日)臺灣北部及彰化、雲林、嘉義、臺中、澎湖、金門、馬祖地區海岸與感潮帶的河濱將出現超級大潮，呼籲前往上述海濱與感潮帶河濱活動民衆應特別注意。氣象局表示一年中最大天文大潮一般發生在秋分後之新月或滿月時，若此時月亮恰在近地點則會產生特別大的天文大潮，稱為超級大潮(Supertide·或·King·tide)。

# Docx Support for Ruby (2015)


Bug49073 Furigana (ruby text) and characters with them are missing in opened .docx files.

のをする。○  
のをする。○  
のをする。○  
のをする。○  
のをする。○  
のをする。○


鬼門きもんの方角ほうかくを凝視ぎょうしする。○  
鬼門きもんの方角ほうかくを凝視ぎょうしする。○  
鬼門きもんの方角ほうかくを凝視ぎょうしする。○  
鬼門きもんの方角ほうかくを凝視ぎょうしする。○  
鬼門きもんの方角ほうかくを凝視ぎょうしする。○  
鬼門きもんの方角ほうかくを凝視ぎょうしする。○

# Non-BMP Text Justification (2016)

CJK unified ideographs extension b  
u+2a6b2



Bug43740 improper justification for hieroglyphics outside BMP.



Bug43741 textlines extrusion in justified layout.



# Borders & Underlines(2016)

Continous baseline when mixing CJK, latin, or complex scripts,  
Illustrated with different paragraph text-to-text alignment setting:

pqy 底線文字 FED 文字 pqy (baseline)

pqy 底線文字 FED 文字 pqy (top)

pqy 底線文字 FED 文字 pqy (middle)

pqy 底線文字 FED 文字 pqy (bottom)

ബ ബബു സ സസു സു സു ഷ ഷ pqrsFDE

Border 邊界測試 Border 邊界測試 Border 邊界測試

Border 邊界測試 Border 邊界測試 Border 邊界測試

Border 1邊界測試 Border1 邊界測試 1Border 邊界測試

# Text Grid ( 2017 )

中	文	中	文	中	文	中	文	中	文	中	文								
中	文		a	一		a													
中	文		(	一		)													

中	文	中	文	中	文	中	文	中	文	中	文								
中	文		a	一		a													
中	文		(	一		)													

**Bug107362 - Extra space inserted between Latin and CJK text if squared page mode is off.**





# Text Grid ( 2017 )


情方可羅物演實，究未神以出算式持母真，走考於內太需方假臉情我以怎境留這眾小者老，笑觀別速策情座功和還是排，法檢頭速言數中獨品鄉所想政可來不因示還時線汽不比一急不所客、參斷原手長要續應學花且早，喜明會其他，動較是現來上，著他建高良要期，要如高分失我笑小花德上對知放該在氣告球小里微易當公成代我精作和能件，此少業明檢，功是車！節內得方水取德生人作，喜又覺聯死開見，嚴事保大黃福止：異畫經子人後而面作具在友？動知子，雲手地向？會開國；路色源辦她那常銷美趣許分起走為裡之氣相感示。了因一是證夫座心第合以高舉間兒民的服戲該來要此空後初母信童。急與大全樂學我文，進羅客地機太不的行低算友水不年母開有回活能住減吸不兩生學山！注車問沒可大加今有發已死裡當力病變以經之旅美；所製力道習感西小位在下公春臺失極不但病世代一中之對過傳的動每。

情方可羅物演實，究未神以出算式持母真，走考於內太需方假臉情我以怎境留這眾小者老，笑觀別速策情座功和還是排，法檢頭速言數中獨品鄉所想政可來不因示還時線汽不比一急不所客、參斷原手長要續應學花且早，喜明會其他，動較是現來上，著他建高良要期，要如高分失我笑小花德上對知放該在氣告球小里微易當公成代我精作和能件，此少業明檢，功是車！節內得方水取德生人作，喜又覺聯死開見，嚴事保大黃福止：異畫經子人後而面作具在友？動知子，雲手地向？會開國；路色源辦她那常銷美趣許分起走為裡之氣相感示。了因一是證夫座心第合以高舉間兒民的服戲該來要此空後初母信童。急與大全樂學我文，進羅客地機太不的行低算友水不年母開有回活能住減吸不兩生學山！注車問沒可大加今有發已死裡當力病變以經之旅美；所製力道習感西小位在下公春臺失極不但病世代一中之對過傳的動每。 |

**Bug107025 - Characters are too close when snap-to-char is turn off.**



# Text Grid ( 2017 )



中文 abab 中文 ¶

中文 a b a b 中文 ¶


**Bug107446 - Pitch between Latin characters missed comparing to MS Word.**

# Backspace on IVS (2018)

## IVS problem is not fixed

- Even after 1 year, this problem has not been reported yet

THIS IS A REAL



SOAS  
CONFERENCE

22






State of CJK issues of LibreOffice, Shinji Enoki  
Retrieved from Slideshare.

# Vertical Ruby (2018)

- ▼ Ruby position "top" or "bottom" are ready since beginning.


き も ん                      ほ う が く                      ぎ ょ う し  
鬼門の方角を凝視する。

- ▼ When writing horizontally, we put the Bopomo symbols to the right side of the base text vertically in Taiwan.

孔  雀  東  南  飛 

Bopomo symbols are used to teach children to pronounce an ideograph

# Vertical Ruby (2018)




- ▼ Text layout is ready.
- ▼ Ruby dialog updated.
- ▼ Docx / rtf / odt support.
- ▼ Tone marks positioning
  - ▼ Works with "Bopomofo GPOS Regular" font by But Ko (6.2)
  - ▼ Broken with Source Hans 2.0.1

孔<sub>ㄅㄨㄣˊ</sub> 雀<sub>ㄑㄩㄟˋ</sub> 東<sub>ㄉㄨㄥˊ</sub> 南<sub>ㄋㄢˊ</sub> 飛<sub>ㄈㄟˊ</sub>

# What's Next?

Bug83066: [META] CJK (Chinese, Japanese, Korean, and Vietnamese) language issues





# What's Next?

- ▼ Ruby in Calc ( started in early 2019, pending )
  - ▼ General idea
    - ▼ Create character attributes.
    - ▼ Reuse Asian Phonetic Guide Dialog.
    - ▼ Import and export xlsx.
    - ▼ Text Layout, Display, etc.
    - ▼ Import and export of ods.

# What's Next?

- ▼ Ruby: How does the texts splits into different parts?
  - ▼ Tdf#107184: incorrect sometimes, and it's hard to edit.
  - ▼ Tdf#113189: mono rubies
- ▼ Scalable tools for Ruby
  - ▼ Tdf#107195(quick editing)
  - ▼ Tdf#107466(search & replace)
- ▼ Ruby in other modules
  - ▼ Tdf#75790: Calc
  - ▼ Tdf#114520: Impress

# What's Next?

- ▼ Line breaking, forbidden characters ( 禁則処理 ), etc.
  - ▼ tdf#71329 No linebreak between Latin text and Ideographic punctuation.
  - ▼ tdf#114761: Inseparable characters of line breaking and word wrapping support for CJK
  - ▼ tdf#114763: Enhancement to line-break or word-wrap Chinese text
  - ▼ Tdf#56408: Writer always breaks lines at text direction change ( related RTL issue ).
  - ▼ Tdf#49885: sync custom breakiterator rules with icu originals

# What's Next?

- ▼ Vertical writing issues ( tdf#106045 ) now become its own category and depends on 40 bugs.
  - ▼ Shift in macOS ( tdf#101679 )
  - ▼ Incorrect character orientation for several scripts.
    - ▼ Tangut ( tdf#11432, tdf#11490 )
    - ▼ Yi ( tdf#114334 )
    - ▼ Hentaigana ( tdf#114002 )
    - ▼ Old Hangul ( tdf#107718 )

# What's Next?

- ▼ Welcome to join us.

